

# HINGE SYSTEM

บานพับ



**HIGHEST LEVELS OF PERFORMANCE WITH SMOOTH MOVEMENT**

The lift systems take up a minimum of valuable storage space

## Flap door system

C-511/SOFT

C-511/PUSH

Technical features




**Hinge for flap doors with decelerated opening. Spring closing action / Push opening.**

- Fixing to the base of the cabinet with longitudinal snap-on mounting plate (BAPGR29/16).
- Standard drilling of the door  $\varnothing 35$ .
- 13 mm deep cup.
- 90° opening.
- Fixed  $K = 4.5$  mm.

ข้อมูลทางเทคนิค

อุปกรณ์บานเปิดลง พร้อมระบบเปิดแบบนุ่มนวล / กดกระดิ่ง

- จุดเจาะถ้วย 35 มม. ความลึกถ้วย 13 มม.
- เปิด 90 องศา
- มี 2 รุ่น คือรุ่น  
Medium รับน้ำหนัก 4 - 7 กก. ต่อ 2 ตัว  
Heavy รับน้ำหนัก 7 - 10 กก. ต่อ 2 ตัว
- สามารถใช้กับบานสูง 280 - 400 มม.



# HINGE SYSTEM

บานพับ



## Colours of the cover



White



Stainless steel



Grey



Champagne



Satin matel black



Glossy matel black

# HINGE SYSTEM

บานพับ



C-511/CENTRAL (PACTA ACCESSARY)

Application of the central hinge

We suggest that you use the central hinge for cabinets over 900 mm width.

บานพับกลาง สำหรับบานตู้กว้าง 900 มม. ขึ้นไป



White



Stainless steel



Grey



Champagne



Satin matel black



Glossy matel black